

### CHANNELIZATION LEGEND

C-P/W	WHITE CURB STRIPE
L-T/4YD	THERMOPLASTIC 4" SOLID DOUBLE YELLOW LINES W/ 4" SPACE BETWEEN
L-T/4YS	THERMOPLASTIC 4" SOLID YELLOW LINE
L-T/6W2	THERMOPLASTIC 6" DASHED WHITE LINE W/ 2' PAINT & 4' SKIP
L-T/4W2	THERMOPLASTIC 4" DASHED WHITE LINE W/ 2' PAINT & 4' SKIP
L-T/4Y3	THERMOPLASTIC 4" DASHED YELLOW LINE W/ 3' PAINT & 6' SKIP
L-T/4WS	THERMOPLASTIC 4" SOLID WHITE LINE
L-T/6WS	THERMOPLASTIC 6" SOLID WHITE LINE
L-T/SL16	THERMOPLASTIC 16" STOPLINE
L-T/SL24	THERMOPLASTIC 24" STOPLINE
S-T720B	THERMOPLASTIC THROUGH ARROW
S-T770A	THERMOPLASTIC BICYCLE LANE SYMBOL & ARROW
S-T771A	THERMOPLASTIC BIKE SHARROW
S-T773A	THERMOPLASTIC BIKE DOT WITH ARROWS
S-T781	THERMOPLASTIC GREEN DRIVEWAY BIKE CROSSING
S-T/RXR	THERMOPLASTIC RAILROAD SYMBOL PER MUTCD

### SIGN LEGEND

R1-1	STOP
R1-2	YIELD
R4-7	BARRIER W/ ARROW
R7-W130	NO PARKING WITH IN 30'
R7-NP	[RED SLASHED CIRCLE] P
R7-NPR	[SLASH OVER CIRCLE] P [RIGHT ARROW]
R7-NPL	[SLASH OVER CIRCLE] P [LEFT ARROW]
R15-1	RAILROAD CROSSBUCKS
W10-1	RAILROAD WARNING SIGN
W10-132	BIKE CROSSING RAILROAD TRACKS W/ ARROW
TS-10	10' SIGN POST
TS-10RW	10" SIGN POST W/ RED AND WHITE SLEEVE

### GENERAL NOTES

- BIKE LANE STRIPING AND LEGENDS SHALL BE THERMOPLASTIC.
- INSTALL TYPE 2A LANE MARKERS PER STANDARD PLANS. COLOR TO MATCH PAVEMENT MARKING COLOR.
- REMOVE ALL CONFLICTING STRIPING
- CONTACT AJ VERDUGO @206-496-2074 WITH ANY QUESTIONS.

	INSTALL
	REMOVE
	RELOCATE/REMAIN

### CONSTRUCTION NOTES

- INSTALL L-T/RXR 62' FROM CENTERLINE OF RAILROAD TRACK CROSSING AND MODIFY TO FIT BIKE LANE WIDTH
- INSTALL STOPLINES 12' FROM CENTERLINE OF RAILROAD TRACK
- INSTALL L-T/RXR 115' FROM CENTERLINE OF RAILROAD TRACK



FINAL DESIGN 4/03/2023

3041040-LU

1401 R NW 45TH ST

TRC1359-U3275  
SIGNS AND MARKINGS WO: 1016151




SHILSHOLE AVE NW AT  
NW 45TH ST

SDOT-PROJECT DEVELOPMENT CONCURRENCE PRIOR TO CONSTRUCTION		
ROUTING	DATE	INITIAL

BOB	PC
CO	CO
VPI #	
CH 1	
SHEET	1 OF 5







CHANNELIZATION LEGEND

C-P/W	WHITE CURB STRIPE
L-T/4YD	THERMOPLASTIC 4" SOLID DOUBLE YELLOW LINES W/ 4" SPACE BETWEEN
L-T/4YS	THERMOPLASTIC 4" SOLID YELLOW LINE
L-T/6W2	THERMOPLASTIC 6" DASHED WHITE LINE W/ 2' PAINT & 4' SKIP
L-T/4W2	THERMOPLASTIC 4" DASHED WHITE LINE W/ 2' PAINT & 4' SKIP
L-T/4Y3	THERMOPLASTIC 4" DASHED YELLOW LINE W/ 3' PAINT & 6' SKIP
L-T/4WS	THERMOPLASTIC 4" SOLID WHITE LINE
L-T/6WS	THERMOPLASTIC 6" SOLID WHITE LINE
L-T/SL16	THERMOPLASTIC 16" STOPLINE
L-T/SL24	THERMOPLASTIC 24" STOPLINE
S-T720B	THERMOPLASTIC THROUGH ARROW
S-T770A	THERMOPLASTIC BICYCLE LANE SYMBOL & ARROW
S-T771A	THERMOPLASTIC BIKE SHARROW
S-T773A	THERMOPLASTIC BIKE DOT WITH ARROWS
S-T781	THERMOPLASTIC GREEN DRIVEWAY BIKE CROSSING
S-T/RXR	THERMOPLASTIC RAILROAD SYMBOL PER MUTCD

SIGN LEGEND

R1-1	STOP
R1-2	YIELD
R4-7	BARRIER W/ ARROW
R7-WI30	NO PARKING WITH IN 30'
R7-NP	[RED SLASHED CIRCLE] P
R7-NPR	[SLASH OVER CIRCLE] P [RIGHT ARROW]
R7-NPL	[SLASH OVER CIRCLE] P [LEFT ARROW]
R15-1	RAILROAD CROSSBUCKS
W10-1	RAILROAD WARNING SIGN
W10-132	BIKE CROSSING RAILROAD TRACKS W/ ARROW
TS-10	10' SIGN POST
TS-10RW	10" SIGN POST W/ RED AND WHITE SLEEVE

GENERAL NOTES

- BIKE LANE STRIPING AND LEGENDS SHALL BE THERMOPLASTIC.
- INSTALL TYPE 2A LANE MARKERS PER STANDARD PLANS. COLOR TO MATCH PAVEMENT MARKING COLOR.
- REMOVE ALL CONFLICTING STRIPING
- CONTACT AJ VERDUGO @206-496-2074 WITH ANY QUESTIONS.

	INSTALL
	REMOVE
	RELOCATE/REMAIN

CONSTRUCTION NOTES


- INSTALL L-T/RXR 62' FROM CENTERLINE OF RAILROAD TRACK CROSSING AND MODIFY TO FIT BIKE LANE WIDTH
- INSTALL STOPLINES 12' FROM CENTERLINE OF RAILROAD TRACK
- INSTALL L-T/RXR 115' FROM CENTERLINE OF RAILROAD TRACK

FINAL DESIGN 4/03/2023

3041040-LU

1401 R NW 45TH ST

TRC1359-U3275  
SIGNS AND MARKINGS WO: 1016151



SDOT-PROJECT DEVELOPMENT CONCURRENCE PRIOR TO CONSTRUCTION		
ROUTING	DATE	INITIAL



**Seattle**  
Department of  
Transportation

ORDINANCE NO.      PW NO.


SCALE: #####

SHILSHOLE AVE NW AT  
NW 45TH ST

BOB	PC
CO	CO
VPI #	
CH 4	
SHEET	4 OF 5



\*  
5  
##  
##  
\*



MATCH LINE - SEE BELOW LEFT

JOB PC  
CO  
VPI #  
**PV 1**  
SHEET 5 OF 5